

CLASSIFICATION: 09 29 00.00 Finishes Gypsum Board

PRODUCT DESCRIPTION: This HPD covers the following CertainTeed 5/8" Type X, 1/2" Type C, 5/8" Type C, 1/2" Abuse Resistance Type C, 5/8 Abuse Resistance Type X, 5/8: Sheathing Treated Core Type X, 5/8" Veneer Plaster Base Type C, 5/8" Veneer Plaster Base Type X, 5/8" Evenwall™ Type X, 5/8" Exterior Soffit Type X, 5/8" Exterior Soffit Type C, Easy Lite Type X, Extreme Abuse and Extreme Impact.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 2 of 2 Materials

- Explanation(s) provided for Residuals/Impurities?
- Yes
 - No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

Threshold Disclosed Per

- Material
- Product

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

GYPSUM CORE BOARD TYPE X/ TYPE C [CALCIUM SULFATE DIHYDRATE LT-UNK STARCH (PRIMARY CASRN IS 9005-25-8) LT-UNK POLY(VINYL ALCOHOL) LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-SULFO-OMEGA-HYDROXY-, C8-10-ALKYL ETHERS, AMMONIUM SALTS LT-UNK GLUCOSE BM-3 PARAFFIN LT-UNK VERMICULITE NoGS MINERAL WOOL, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤ 18 % BY WEIGHT LT-UNK NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT LT-P1 SODIUM POLYNAPHTHALENESULFONATE LT-P1 | PBT PROTEIN HYDROLYSATE [USP] NoGS 2-NAPHTHALENESULFONIC ACID, POLYMER WITH FORMALDEHYDE, SODIUM SALT LT-P1 | PBT QUARTZ LT-1 | CAN SILICA FUME LT-P1 | CAN] PAPER FACING [CELLULOSE, MICROCRYSTALLINE NoGS LIMESTONE, CALCIUM CARBONATE LT-UNK KAOLIN, CALCINED LT-UNK STARCH LT-UNK ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All materials have been screened thru the HPD tool. All residuals and impurities have been considered. HPD has been reviewed and certified by a third party.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared
VERIFIER:

SCREENING DATE: 2019-02-06
PUBLISHED DATE: 2019-02-06

Yes
 No

VERIFICATION #:

EXPIRY DATE: 2022-02-06



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

GYPHUM CORE BOARD TYPE X/ TYPE C

#: 95.5000 - 98.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

OTHER MATERIAL NOTES:

CALCIUM SULFATE DIHYDRATE

ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-06

#: 87.0000 - 96.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Core of the Panel

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

STARCH (PRIMARY CASRN IS 9005-25-8)

ID: 2075820-73-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-06

#: 3.0000 - 9.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Binder for coreboard

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

POLY(VINYL ALCOHOL)

ID: 9002-89-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-06

#: 0.0200 - 0.0300

GS: LT-UNK

RC: None

NANO: No

ROLE: binder in wax

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES:

POLY(OXY-1,2-ETHANEDIYL), ALPHA-SULFO-OMEGA-HYDROXY-, C8-10-ALKYL ETHERS, AMMONIUM SALTS

ID: 68891-29-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-02-06**

%: **0.0200 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Gypsum core development**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES:

GLUCOSE

ID: 50-99-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-02-06**

%: **0.0100 - 0.1000** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Gypsum crystal setting time**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES:

PARAFFIN

ID: 8002-74-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-02-06**

%: **0.0000 - 4.2500** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **moisture resistance**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES:

VERMICULITE

ID: 1318-00-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-02-06**

%: **0.0000 - 5.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **fire resistance**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES:

MINERAL WOOL, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤ 18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-06**

#: **0.0000 - 0.1000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Panel Strength**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES:

NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT

ID: 37293-74-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-06**

#: **0.0000 - 0.1000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Gypsum crystal formation**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES: Due to the potentially hazardous nature of this material, R&D is actively seeking an alternative.

SODIUM POLYNAPHTHALENESULFONATE

ID: 9084-06-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-06**

#: **0.0000 - 0.0500**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Gypsum crystal formulation**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
-----	---------------	--

SUBSTANCE NOTES: Due to the potentially hazardous nature of this material, R&D is actively seeking an alternative.

PROTEIN HYDROLYSATE [USP]

ID: 9015-54-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-06**

#: **0.0000 - 0.2500**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Gypsum crystal formation**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	No hazards found	

SUBSTANCE NOTES:

2-NAPHTHALENESULFONIC ACID, POLYMER WITH FORMALDEHYDE, SODIUM SALT

ID: 36290-04-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-06**

#: **0.0000 - 0.1100** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Gypsum crystal formation**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES: Due to the potentially hazardous nature of this material, R&D is actively seeking an alternative.

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-06**

#: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **Unknown** ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Quartz is a naturally occurring contaminant within Gypsum

SILICA FUME

ID: 69012-64-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-06**

#: 0.0000 - 0.1000

GS: LT-P1

RC: None

NANO: No

ROLE: Fire resistance

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

Australia - GHS

H350i - May cause cancer by inhalation

SUBSTANCE NOTES:

PAPER FACING

#: 2.5000 - 5.7500

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the paper are considered and evaluated thru QA checks,

OTHER MATERIAL NOTES:

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-06

#: 85.0000 - 92.0000

GS: NoGS

RC: None

NANO: No

ROLE: Paper facing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-06

#: 4.0000 - 9.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: filler pigment in paper

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

KAOLIN, CALCINED

ID: 92704-41-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-06

#: 2.0000 - 7.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: filler pigment in paper

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

STARCH

ID: **9005-25-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-06**

#: **0.1000 - 0.5000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **binder for paper**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL

ID: **25213-24-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-06**

#: **0.1000 - 0.5000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **bond paper to core board**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2009-**

EXPIRY DATE: **2019-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All certificate # 24756-420**

03-11

07-13

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

All CertainTeed Gypsum wallboard products should be handled and installed per the requirements of the manufacturers SDS.



MANUFACTURER INFORMATION

MANUFACTURER: **Saint Gobain**

ADDRESS: **20 Moored Road**

Malvern PA 19335, USA

WEBSITE: <https://www.certainteed.com/drywall/>

CONTACT NAME: **Mitchell Schittler**

TITLE: **Gypsum Marketing Technical Services**

PHONE: **6108936300**

EMAIL: **Mitchell.L.Schittler@saint-gobain.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.